
acoufelt



RippleCeiling Baffles

Premier Collection

Ripple ceiling baffles offer up a more whimsical line when creating sound-absorbing mass in the ceiling plane. Play with tone, color, and scale while quieting reverberations in normally noisy spaces. Easy to specify and install, ceiling baffles are a great first course in your soundscaping strategy.

Specifications

Surface	Ceiling				
Material	Filasorb™ polyester felt				
Thickness	1/2", 12mm (±10%) 1", 24mm (±10%)				
Weight	0.49 lb./ft²(±10%) 0.98 lb./ft²(±10%)				
Standard Sizes	Height ranges from end-to-end (2:1) Height A: 4" up to 24" (2" increments) Height B: 2" up to 12" (1" increments) Lengths: Range from 12" up to 110" See page 4 for more details. Custom sizes available				



Ripple Ceiling Baffle in White and Charcoal

Technical

NRC Rating	12mm 1.30 24mm			
	1.15			
Fire Test	ASTM E84, Class A Flame spread index: 15			
	Smoke developed index: 200			
Colorfastness	ISO 105-B02, 6-7			

Details

Lead Time	3 – 6 weeks				
Origin	Manufactured and assembled in the US				
Warranty	Product: 20 years* Colorfastness: 20 years*				

^{*} Conditions apply

Environmental

Recycled Content	Minimum 60%				
Energy	Generated using 40% solar energy				
Indoor Air Quality	VOC less than/equal to 0.5mg/m3				
Recyclable	100%*				
Certifications	Environmental Product Declaration Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold				

 $[\]hbox{* \it PET is recyclable through participating partners.}$







Colorways

PREMIER



Order samples at acoufelt.com/colorways

Sizes

Standard Heights	Height ranges from end-to-end (2:1) Height A: 4" up to 24" (2" increments) Height B: 2" up to 12" (1" increments) Custom sizes available
Thickness	1/2", 12mm (±10%) 1", 24mm (±10%)

Standard Lengths 12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84,

90, 96, 102, 108, 110" L Custom sizes available

Height A	Height B
4"	2"
6"	3"
8"	4"
10"	5"
12"	6"

14"

16"

18"

20"

22"

24"

7"


8"


9"


10"

11"

12"









Hardware Spacing

12, 18" L	6" on center spacing			
24, 30" L	12" on center spacing			
36, 42, 48, 54" L	24" on center spacing			
60, 66, 72, 78, 84, 90" L	24" on center spacing			
96, 102, 108, 110" L	30" on center spacing			


12,18" L




60, 66, 72, 78, 84, 90" L




24, 30" L



96, 102, 108, 110" L




36, 42, 48, 54" L




Mounting Methods


Cable




Cable to deck




Cable to T-grid




Cable to Unistrut



Swivel cable to deck




Magnet to T-grid




Mounting Methods cont'd.

Threaded rod 1/4"-20 coupling nut Threaded rod C-clip & channel nut assembly Self-tapping screw




Direct to Unistrut

Baffle




Twist lock to T-grid



Acoustic Performance

Test Method	ASTM E795-16				
Install Method	J-600				
Rating Method	ASTM C423-17				
Mounting Method	g Method Sample tested 6 baffles 110" L x 12" D, 12mm and 24mm thickness, sample hanging 600mm from floor and 6" O.C. from each other				
Test Results	12mm NRC 1.30 SAA 1.32 24mm NRC 1.15 SAA 1.19				



Frequency f (Hz)	125	250	500	1000	2000	4000	NRC
12mm	0.17	0.44	.93	1.62	2.20	2.51	1.30
24mm	0.01	0.00	0.56	1.45	2.52	2.55	1.15

What is a Noise Reduction Coefficient (NRC)?

You'll find the NRC rating in the specifications of all of our products. This acronym stands for Noise Reduction Coefficient, and is expressed as a single number, a rating that describes the degree to which acoustic products can absorb sound.

You can use NRC values to understand the overall performance of our acoustic wall and ceiling products. The higher the NRC, the better the product is at soaking up the sound.

Performance Indices: Noise Reduction Coefficient (NRC) results represent the absorption coefficients measured at the one third octave bands at 125, 250, 500, 1000, 2000 and 4000 Hz rounded to the nearest 0.05. Acoustic testing has been performed according to the methods mentioned above. Customization of installation of the product could alter the results. Sound Absorption Average (SAA) indicates the absorption coefficient average for the twelve one-third octave bands ranging between 200 and 2500 Hz.

