



Creative Cut

FilaSorb™ 12

acoufelt
making quiet

Product Detail


Product	Creative Cut
Surface	Wall
Composition	100% Polyester
Material	FilaSorb™
Recycled Content	60% min.
Thickness	12mm 0.47" +/- 10%
Weight	0.49 lb/ft ² +/- 10%
Dimension	48"W x 110"H
	Custom size available upon request.

Technical Data

Fire Test Method Number	AS ISO 9705:Group 1 ASTM E84-17a Class A
Indoor Air Quality	Low VOCs emission, formaldehyde and Phenol-free
Light Fastness	ISO 105-B02 1994, 6-7

Acoustic Performance


Sound Absorption ISO 354-2006 NRC 0.45




Frequency f(Hz)	125	250	500	1000	2000	4000	NRC
12mm a _s	0.06	0.02	0.23	0.61	0.89	0.95	0.45

Product Drawing

Elevation



Perspective



Guarantees

Lead Time	Ships in 4-6 weeks
Light Fastness Warranty	10 Years*
Customizable	Yes

* conditions apply


Environmental Attributes

- Declare Certification
- LCB Red List Free
- Phenol And Formaldehyde Free
- Low VOC
- CDPH Compliance
- Aligns With Building Standards




Patterns


Radar




Fern




Rain




Blizzard



Origami




Turntable




Mounting Methods


Cable Hanging System



Cable Hanging System With C-Clippers



Sliding System



C Channel System

