



# Rectangle Ceiling Cloud

FilaSorb™ 24

acoufelt  
making quiet

# Product Detail

Product	Rectangle Ceiling Cloud
Surface	Ceiling
Composition	100% Polyester
Material	FilaSorb™
Recycled Content	60% min.
Thickness	24mm   0.94" +/- 10%
Weight	0.98 lb/ft <sup>2</sup> +/- 10%
Standard Dimensions	See page 4 to 6 for size offerings. Custom size available upon request.
Lead Time	Ships in 4-6 weeks
Light Fastness Warranty	10 Years*


\* conditions apply

# Technical Data

Fire Test Method Number	AS ISO 9705:Group 1 ASTM E84-17a Class A
Indoor Air Quality	Low VOCs emission, formaldehyde and Phenol-free
Light Fastness	ISO 105-B02 1994, 6-7

# Acoustic Performance

Sound Absorption ISO 354-2006 NRC 0.60



Frequency f (Hz)	125	250	500	1000	2000	4000	NRC
24mm $\alpha_s$	0.02	0.57	0.41	0.58	0.87	0.85	0.60

# Colorways

\* Go To Colorway Page



 Manufactured & Assembled in the USA


# Environmental Attributes

- Declare Certification
- LBC Red List Free
- Phenol And Formaldehyde Free
- Low VOC
- CDPH Compliance
- Aligns With Building Standards




# Design


## Plan



## Perspective




## Elevation




# Design


Plan



Plan




Plan




# Design


Plan



Plan




Plan




# Design


Plan



Plan




Plan




# Mounting Methods


## Cable



## Cable To Deck



## Cable To T Grid



## Cable To Unistrut

