




Cover, Concealed Ceiling Panels

Essentials Collection

A practical, up-to-date take on acoustic ceiling panels, Concealed panel covers provide effective sound management without the dated office vibe. Economical and attractive, Concealed panel covers are the smart choice for upgrading the look and comfort of high-traffic areas, as well as anywhere people need to concentrate.

Specifications

Surface	Ceiling	
Material	WhispaTex™ polyester felt	
Thickness	3/8", 9mm (±10%)	
Weight	0.34 lb./ft ² (±10%)	
Standard Sizes	Width	Length
	24" W	24", 48", 96" L
	48" W	48", 96" L



Concealed Cover Ceiling Panel in Basalt

Technical

NRC Rating	Material: 0.35 Product: Testing is pending
Fire Test	ASTM E84, Class 1 Flame spread index: 7 Smoke developed index: 160
Colorfastness	ISO 105-B02, 4

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 12 years* Colorfastness: 12 years*

* Conditions apply

Environmental


Recycled Content	Minimum 55%
Indoor Air Quality	VOC less than/equal to 0.5mg/m ³
Recyclable	100%*
Certifications	TVOC Emissions Rate

* PET is recyclable through participating partners.



Colorways

ESSENTIALS




Talc
TA08



Limestone
LI07



Silt
SI06



Shale
SH03



Pumice
PU05



Gypsum
GY04



Jade
JA02



Basalt
BA01

Order samples at acoufelt.com/colorways






Call **800.966.8557** with questions or visit **acoufelt.com** for more product information, downloads, and colorways.

Sizes

Standard Sizes	Width	Length
	24" W	24", 48", 96" L
	48" W	48", 96" L

Thickness	3/8", 9mm (±10%)	
------------------	------------------	--




Note: for construction adhesive mounting method, panels will have a flush surface.

9mm
thickness



Mounting Methods

Direct to 15/16" T-grid



Construction adhesive

