



Hexagon Ceiling Clouds

Essentials Collection

A modern approach to quieting noisy areas, ceiling clouds hang flat below the ceiling system to provide focused sound absorption. As standalone free-hanging unit or grouped to add an artistic touch wherever crowds gather, Hexagon ceiling clouds can be an economical, effective solution for a wide range of settings.

Specifications

Surface	Ceiling
Material	WhispaTex™ polyester felt
Thickness	3/4", 18mm (±10%)
Weight	0.34 lb./ft ² (±10%)
Standard Sizes	24" W x 20.78" L 36" W x 31.18" L 48" W x 41.57" L



Hexagon Ceiling Clouds in Silt

Technical

NRC Rating	Material: 0.35 Product: Testing is pending
Fire Test	ASTM E84, Class 1 Flame spread index: 7 Smoke developed index: 160
Colorfastness	ISO 105-B02, 4

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 12 years* Colorfastness: 12 years*

* Conditions apply

Environmental


Recycled Content	Minimum 55%
Indoor Air Quality	VOC less than/equal to 0.5mg/m ³
Recyclable	100%*
Certifications	TVOC Emissions Rate

* PET is recyclable through participating partners.




Colorways

ESSENTIALS




Talc
TA08



Limestone
LI07



Silt
SI06



Shale
SH03



Pumice
PU05



Gypsum
GY04



Jade
JA02



Basalt
BA01

Order samples at acoufelt.com/colorways




Call **800.966.8557** with questions or visit acoufelt.com for more product information, downloads, and colorways.

Sizes


Standard Sizes	24" W x 20.78" L
	36" W x 31.18" L
	48" W x 41.57" L

Thickness	3/4", 18mm (±10%)
------------------	-------------------

Perspective






Plan




Hardware Spacing

24" W	12" on center spacing
36" W	18" on center spacing
48" W	24" on center spacing
20.78" L	12" on center spacing
31.18" L	18" on center spacing
41.57" L	24" on center spacing




Mounting Methods


Cable



Cable to deck



Cable to T-grid



Cable to Unistrut

