

# Rectangle Ceiling Clouds

Essentials Collection

A modern approach to quieting noisy areas, ceiling clouds hang flat below the ceiling system to provide focused sound absorption. As standalone free-hanging unit or grouped to add an artistic touch wherever crowds gather, Rectangle ceiling clouds can be an economical, effective solution for a wide range of settings.

## Specifications

<b>Surface</b>	Ceiling
<b>Material</b>	WhisperTex™ polyester felt
<b>Thickness</b>	3/4", 18mm (±10%)
<b>Weight</b>	0.34 lb./ft2 (±10%)
<b>Standard Sizes</b>	Width: 12" - 48" (6" increments) Length: 36" - 90" (6" increments)



Rectangle Ceiling Cloud in Jade

## Technical

<b>NRC Rating</b>	Material: 0.35 Product: Testing is pending
<b>Fire Test</b>	ASTM E84, Class 1 Flame spread index: 7 Smoke developed index: 160
<b>Colorfastness</b>	ISO 105-B02, 4

## Details

<b>Lead Time</b>	3 - 6 weeks
<b>Origin</b>	Manufactured and assembled in the US
<b>Warranty</b>	Product: 12 years* Colorfastness: 12 years*

\* Conditions apply

## Environmental


<b>Recycled Content</b>	Minimum 55%
<b>Indoor Air Quality</b>	VOC less than/equal to 0.5mg/m3
<b>Recyclable</b>	100%*
<b>Certifications</b>	TVOC Emissions Rate

\* PET is recyclable through participating partners.



# Colorways

## ESSENTIALS




Talc  
TA08



Limestone  
LI07



Silt  
SI06



Shale  
SH03



Pumice  
PU05



Gypsum  
GY04



Jade  
JA02



Basalt  
BA01


---

Order samples at [acoufelt.com/colorways](https://acoufelt.com/colorways)

# Sizes

<b>Standard Sizes</b>	Width: 12" - 48" (6" increments) Length: 36" - 90" (6" increments)
<b>Thickness</b>	3/4", 18mm (±10%)


## Perspective



18mm  
thickness



## Plan








*Rounded corners available*




# Hardware Spacing

<b>12, 18" W</b>	6" on center spacing
<b>24, 30" W</b>	12" on center spacing
<b>36, 42, 48" W</b>	24" on center spacing
<b>36, 42, 48, 54" L</b>	24" on center spacing
<b>60, 66, 72, 78, 84, 90" L</b>	48" on center spacing




# Mounting Methods


## Cable



## Cable to deck



## Cable to T-grid



## Cable to Unistrut

