


## Truss Ceiling Baffles

Naturals Collection

Suspended overhead, this timeless silhouette in high-quality, raw wool delivers natural sound absorption and extensive configurability. Choose from neutrals or saturated colors and a variety of sizes to individualize your space in an eco-friendly, renewable way.

## Specifications

<b>Surface</b>	Ceiling
<b>Material</b>	100% wool
<b>Thickness</b>	1/2", 12mm (±10%) 3mm Naturals + 9mm Essentials
<b>Weight</b>	0.49 lb./ft <sup>2</sup> (±10%)
<b>Standard Sizes</b>	Height: 6" up to 12" H (2" increments) Depth: 2" up to 4" D (1" increments) Length: 24" up to 108" L (6" increments), 110" L <i>See page 4 for more details. Custom sizes available</i>



Truss Ceiling Baffles in Thicket

## Technical

<b>NRC Rating</b>	Testing is pending
<b>Fire Test</b>	ASTM E84, Class 1 Flame spread index: 7 Smoke developed index: 160
<b>Colorfastness</b>	ISO 105-B02, 4
<b>Certifications</b>	100% Mulesing-free pure wool

## Details

<b>Lead Time</b>	3 – 6 weeks
<b>Origin</b>	Manufactured and assembled in the US
<b>Warranty</b>	Product: 10 years*

\* Conditions apply

## Environmental

<b>Indoor Air Quality</b>	VOC less than/equal to 0.5mg/m <sup>3</sup>
<b>Recyclable</b>	100%*
<b>Certifications</b>	Oeko-Tex® Standard 100 Certified Product Class II (100% Wool Design Felt)

\* Wool is recyclable through participating partners.



# Colorways


## NATURALS



Coconut  
CO02



Fog  
FO01



Ash  
AS08




Wintergreen  
WI06



Grassland  
GR07



Zest  
ZE04




Fox  
FO05



Shell  
SH10



Fawn  
FA03




Cliffside  
CL15




Indigo  
IN20



Ocean  
OC13



Hedge  
HW14



Tapenade  
TA11




Amaryllis  
AM12



Mulberry  
MU17




Thicket  
TH09



Raven  
RA1



Night Sky  
NI19



Balsam  
BA21



Kelp  
KE18

Order samples at [acoufelt.com/colorways](https://acoufelt.com/colorways)




Call **800.966.8557** with questions or visit [acoufelt.com](https://acoufelt.com) for more product information, downloads, and colorways.

# Sizes

**Standard Sizes**      Height: 6" up to 12" H (1" increments)  
 Depth: 2" up to 4" D (1" increments)  
 Length: 24" up to 108" L (6" increments), 110" L  
*Custom sizes available*

**Thickness**            1/2", 12mm (±10%)  
 3mm Naturals + 9mm Essentials







	6"H	7"H	8"H	9"H	10"H	11"H	12"H
2"D							
3"D							
4"D							

Standard sizes


# Hardware Spacing

24, 30" L	12" on center spacing
36, 42, 48, 54" L	24" on center spacing
60, 66, 72, 78, 84, 90" L	48" on center spacing
96, 102, 108, 110" L	60" on center spacing




# Mounting Methods


## Cable




## Cable to deck




## Cable to T-grid




## Cable to Unistrut



## Swivel cable to deck




## Magnet to T-grid




# Mounting Methods cont'd.


## Threaded rod



## Threaded rod to Unistrut



## Direct to Unistrut



## Twist lock to T-grid

