

# Truss Ceiling Baffles

Naturals Collection

Suspended overhead, this timeless silhouette in high-quality, raw wool delivers natural sound absorption and extensive configurability. Choose from neutrals or saturated colors and a variety of sizes to individualize your space in an eco-friendly, renewable way.

## Specifications

<b>Surface</b>	Ceiling
<b>Material</b>	100% wool
<b>Thickness</b>	1/2", 12mm (±10%) 3mm <i>Naturals</i> + 9mm <i>Essentials</i>
<b>Weight</b>	0.49 lb./ft <sup>2</sup> (±10%)
<b>Standard Sizes</b>	Height: 6" up to 12" H (2" increments) Depth: 2" up to 4" D (1" increments) Length: 24" up to 108" L (6" increments), 110" L <i>See page 4 for more details. Custom sizes available</i>



Truss Ceiling Baffles in Thicket

## Technical

<b>NRC Rating</b>	Testing is pending
<b>Fire Test</b>	ASTM E84, Class 1 Flame spread index: 7 Smoke developed index: 160
<b>Colorfastness</b>	ISO 105-B02, 4
<b>Certifications</b>	100% Mulesing-free pure wool

## Details

<b>Lead Time</b>	3 – 6 weeks
<b>Origin</b>	Manufactured and assembled in the US
<b>Warranty</b>	Product: 10 years*

\* Conditions apply

## Environmental

<b>Indoor Air Quality</b>	VOC less than/equal to 0.5mg/m <sup>3</sup>
<b>Recyclable</b>	100%*
<b>Certifications</b>	Oeko-Tex® Standard 100 Certified Product Class II (100% Wool Design Felt)

\* Wool is recyclable through participating partners.



# Colorways


## NATURALS



Coconut  
CO02




Fog  
FO01



Ash  
AS08



Wintergreen  
WI06



Grassland  
GR07



Zest  
ZE04



Fox  
FO05




Shell  
SH10




Fawn  
FA03



Cliffside  
CL15




Indigo  
IN20



Ocean  
OC13



Hedge  
HW14



Tapenade  
TA11



Amaryllis  
AM12




Mulberry  
MU17



Thicket  
TH09



Raven  
RA1



Night Sky  
NI19



Balsam  
BA21



Kelp  
KE18

Order samples at [acoufelt.com/colorways](https://acoufelt.com/colorways)




Call 800.966.8557 with questions or visit [acoufelt.com](https://acoufelt.com) for more product information, downloads, and colorways.

# Sizes

**Standard Sizes**      Height: 6" up to 12" H (1" increments)  
 Depth: 2" up to 4" D (1" increments)  
 Length: 24" up to 108" L (6" increments), 110" L  
*Custom sizes available*

**Thickness**            1/2", 12mm (±10%)  
 3mm Naturals + 9mm Essentials







	6"H	7"H	8"H	9"H	10"H	11"H	12"H
2"D							
3"D							
4"D							

Standard sizes


# Hardware Spacing

<b>24, 30" L</b>	12" on center spacing
<b>36, 42, 48, 54" L</b>	24" on center spacing
<b>60, 66, 72, 78, 84, 90" L</b>	48" on center spacing
<b>96, 102, 108, 110" L</b>	60" on center spacing




# Mounting Methods


## Cable




## Cable to deck




## Cable to T-grid



## Cable to Unistrut




## Swivel cable to deck




# Mounting Methods cont'd.

## Threaded rod



## Threaded rod to Unistrut



## Twist lock to T-grid

