

Crest Ceiling Clouds

Premier Collection

With beautifully shaped, sound-absorbing felt, Crest ceiling clouds allow you to design an interesting ceiling scape while dampening distracting noise from busy spaces. Reminiscent of the crest of a wave, multiple Crest clouds in various sizes, hung together in the same space, creates a relaxing sense of movement. Combine and hang Crest clouds in an array of colors and sizes to manufacture a compelling sculptural installation or opt for quiet uniformity by choosing a single size and color.

Specifications

Surface	Ceiling
Material	FilaSorb™ polyester felt
Thickness	1/2", 12mm (±10%)
Weight	0.49 lb./ft ² (±10%)
Standard Sizes	4" T x 24" W x 12" H 4" T x 36" W x 18" H 4" T x 48" W x 24" H Lengths: 24, 48" L



Crest Ceiling Cloud in Multi-color

Technical

NRC Rating	Pending product testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m3
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners.




Colorways

PREMIER



White
WH12



Almond
AL55



Pistachio
PI25



Celery
CE65



Metal
ME03




Flamingo
FL61




Quartz
QU67




Turmeric
TU60



Platinum
PL04



Pearl
PE21




Eucalyptus
EU71




Sencha
SE58



Periwinkle
PE23




Amethyst
AM69



Valentine
VA70




Wheat
WH68



Grey
GR02




Ivory
IV11



Wasabi
WA29



Sea Salt
SE57



Marine
MA15




Lilac
LI13




Peach
PE19




Popcorn
PO26




Slate
SL27




Umber
UM54



Thistle
TH28




Peacock
PE20



Iris
IR10




Berry
BE06




Peppercorn
PE22




Carrot
CA08




Charcoal
CH01




Walnut
WA56




Oregano
OR18




Azure
AZ05




Granite
GR62




Flint
FL64




Shiraz
SH63




Currant
CU59




Piano Black
PI24



Midnight
MI16



Kale
KA12



Denim
DE09

Order samples at acoufelt.com/colorways






Call 800.966.8557 with questions or visit acoufelt.com for more product information, downloads, and colorways.

Sizes







Standard Sizes 4" T x 24" W x 12" H
 4" T x 36" W x 18" H
 4" T x 48" W x 24" H
 Lengths: 24, 48" L

Thickness 1/2", 12mm (±10%)

Front Elevation









Side Elevation




Hardware Spacing

24" W, L	12" on center spacing
36" W	18" on center spacing
48" W, L	24" on center spacing




Mounting Methods


Cable




Cable to deck



Cable to T-grid



Cable to Unistrut



Swivel cable to deck

