



Swing Ceiling Clouds

Premier Collection

The Swing ceiling clouds are shaped to resemble the black rubber swing seat from childhood. They can be easily suspended from the ceiling and add a playful touch to any space with their organic shape. At the same time, they provide targeted noise reduction. Although they look like they're hanging effortlessly, they work hard to manage the acoustic experience and ensure quiet in any space.

Specifications

Surface	Ceiling
Material	FilaSorb™ polyester felt
Thickness	1/2", 12mm (±10%)
Weight	0.49 lb./ft ² (±10%)
Standard Sizes	4" T x 24" W x 12" H 4" T x 36" W x 18" H 4" T x 48" W x 24" H Length: 24, 48" L



Swing Ceiling Cloud in Peacock, Azure, Periwinkle and Amethyst

Technical

NRC Rating	Pending Product Testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m3
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners.



Colorways

PREMIER

							
White WH12	Almond AL55	Pistachio PI25	Celery CE65	Metal ME03	Flamingo FL61	Quartz QU67	Turmeric TU60
							
Platinum PL04	Pearl PE21	Eucalyptus EU71	Sencha SE58	Periwinkle PE23	Amethyst AM69	Valentine VA70	Wheat WH68
							
Grey GR02	Ivory IV11	Wasabi WA29	Sea Salt SE57	Marine MA15	Lilac LI13	Peach PE19	Popcorn PO26
							
Slate SL27	Umber UM54	Thistle TH28	Peacock PE20	Iris IR10	Berry BE06	Peppercorn PE22	Carrot CA08
							
Charcoal CH01	Walnut WA56	Oregano OR18	Azure AZ05	Granite GR62	Flint FL64	Shiraz SH63	Currant CU59
							
Piano Black PI24	Midnight MI16	Kale KA12	Denim DE09				

Order samples at acoufelt.com/colorways






Call 800.966.8557 with questions or visit acoufelt.com for more product information, downloads, and colorways.

Sizes







Standard Sizes 4" T x 24" W x 12" H
4" T x 36" W x 18" H
4" T x 48" W x 24" H
Lengths: 24, 48" L

Thickness 1/2", 12mm (±10%)

Front Elevation









Side Elevation




Hardware Spacing

24" W, L	12" on center spacing
36" W	18" on center spacing
48" W, L	24" on center spacing




Mounting Methods


Cable




Cable to deck



Cable to T-grid



Cable to Unistrut



Swivel cable to deck

