
## acoufelt



# **Swing**Ceiling Clouds

WoodGrain Collection

The Swing ceiling clouds are shaped to resemble the black rubber swing seat from childhood. They can be easily suspended from the ceiling and add a playful touch to any space with their organic shape. At the same time, they provide targeted noise reduction. Although they look like they're hanging effortlessly, they work hard to manage the acoustic experience and ensure quiet in any space.

## Specifications

Surface	Ceiling
Material	FilaSorb™ polyester felt
Thickness	1/2", 12mm (±10%)
Weight	0.49 lb./ft²(±10%)
Standard Sizes	4" T x 24" W x 12" H 4" T x 36" W x 18" H
	4" T x 48" W x 24" H Length: 24, 48" L



Swing Ceiling Cloud in White Oak

## Technical

NRC Rating	Pending Product Testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Colorfastness	ISO 105-B02, 6-7

## **Details**

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

<sup>\*</sup> Conditions apply

## **Environmental**

Recycled Content	Minimum 60%	
Energy	Generated using 40% solar energy	
Indoor Air Quality	VOC less than/equal to 0.5mg/m3	
Recyclable	100%*	
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold	


<sup>\*</sup> PET is recyclable through participating partners.





## Colorways

#### WOODGRAIN




## Sizes


Standard Sizes	4" T x 24" W x 12" H
Juliuai a Jizej	T 1 A Z T VV A 1 Z 11


4" T x 36" W x 18" H		
4" T x 48" W x 24" H		
Lengths: 24, 48" L		

Thickness	1/2", 12mm (±10%)
HILCKHICSS	1/2 , 12111111 (±10/0)


#### **Front Elevation**











#### **Side Elevation**


















## **Hardware Spacing**


24" W, L	12" on center spacing
36" W	18" on center spacing
48" W, L	24" on center spacing















## **Mounting Methods**

#### Cable



#### Cable to deck

2-piece cable coupler with
1/4"-20 female thread


Aircraft cable

Cable gripper


Nut plate

Baffle

#### Cable to T-grid



#### **Cable to Unistrut**



#### Swivel cable to deck

