
acoufelt



Rail, Lines Ceiling Frames


Premier Collection

Rail Ceiling Frames offer unmatched flexibility to craft unique, textured ceilings. With an open-tile design and the absence of a backer, Rail seamlessly integrates with essential ceiling components like lighting, sprinklers, and speakers.

The Rail frames system ensures hassle-free installation with its innovative click-in design, eliminating the need for additional hardware. Fully compatible with standard 15/16" T-grid drop ceilings, it provides a versatile and efficient solution for modern ceiling designs.

Specifications

Surface	Ceiling	
Material	FilaSorb [™] polyester felt	
Thickness	1/2", 12mm (±10%)	
Weight	0.49 lb./ft²(±10%)	
Standard Sizes	24" W x 24" L x 4" H	
	24" W x 24" L x 6" H	
	24" W x 48" L x 4" H	
	24" W x 48" L x 6" H	
Compatible T-grid	Туре	Layout
	15/16" Flat	Standard 24" x 24"



Rail, Lines Ceiling Frames in Quartz

Technical

NRC Rating	Pending product testing	
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200	
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)	
Colorfastness	ISO 105-B02, 6-7	

Details

Lead Time	3 – 6 weeks	
Origin	Manufactured and assembled in the US	
Warranty	Product: 20 years* Colorfastness: 20 years*	

^{*} Conditions apply

Environmental

Recycled Content	Minimum 60%	
Energy	Generated using 40% solar energy	
Indoor Air Quality	VOC less than/equal to 0.5mg/m3	
Recyclable	100%*	
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold	

 $[\]hbox{* \it PET is recyclable through participating partners.}$






How to Specify


1. Choose Slat Height


2. Choose Tile Size


3. Choose Colorway

Slats are available in two overall heights:











1. Choose Slat Height


2. Choose Tile Size


3. Choose Colorway

Ties are available in two sizes for use with 4" H and 6" H slats.









1. Choose Slat Height

2. Choose Tile Size

3. Choose Colorway

Select one colorway for your tile. See colorway choices on the following page.

Colorways


PREMIER



Order samples at **acoufelt.com/colorways**


Recommended Layouts

Layout 1




Lighting Coordination


2' x 2', 2' x 4' Grid light



Drop pendant light



Recessed light



Grid mounted light (track, pendant)

