

Rail, Ways Ceiling Frames


Premier Collection

Rail Ceiling Frames offer unmatched flexibility to craft unique, textured ceilings. With an open-tile design and the absence of a backer, Rail seamlessly integrates with essential ceiling components like lighting, sprinklers, and speakers.

The Rail frames system ensures hassle-free installation with its innovative click-in design, eliminating the need for additional hardware. Fully compatible with standard 15/16" T-grid drop ceilings, it provides a versatile and efficient solution for modern ceiling designs.

Specifications

Surface	Ceiling	
Material	FilaSorb™ polyester felt	
Thickness	1/2", 12mm (±10%)	
Weight	0.49 lb./ft ² (±10%)	
Standard Sizes	24" W x 24" L x 4" H 24" W x 24" L x 6" H 24" W x 48" L x 4" H 24" W x 48" L x 6" H	
Compatible T-grid	Type	Layout
	15/16" Flat	Standard 24" x 24"



Rail, Ways Ceiling Frames in Almond

Technical

NRC Rating	Pending product testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m3
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners.





How to Specify

1. Choose Slat Height

2. Choose Tile Size

3. Choose Colorway

Slats are available in two overall heights:




1. Choose Slat Height

2. Choose Tile Size

3. Choose Colorway

Ties are available in two sizes for use with 4" H and 6" H slats.



1. Choose Slat Height

2. Choose Tile Size

3. Choose Colorway

Select one colorway for your tile. See colorway choices on the following page.

Colorways

PREMIER



White
WH12




Almond
AL55



Celery
CE65



Sencha
SE58



Metal
ME03




Flamingo
FL61



Quartz
QU67



Turmeric
TU60



Platinum
PL04




Pearl
PE21



Pistachio
PI25



Thistle
TH28



Stonewash
ST72



Amethyst
AM69



Valentine
VA70



Wheat
WH68



Grey
GR02



Ivory
IV11




Eucalyptus
EU71



Peacock
PE20



Periwinkle
PE23




Lilac
LI13



Peach
PE19



Popcorn
PO26



Slate
SL27



Umber
UM54



Wasabi
WA29




Sea Salt
SE57



Marine
MA15



Berry
BE06



Peppercorn
PE22



Carrot
CA08



Charcoal
CH01



Walnut
WA56




Oregano
OR18




Azure
AZ05



Iris
IR10




Flint
FL64




Shiraz
SH63




Currant
CU59




Piano Black
PI24



Midnight
MI16



Kale
KA12



Denim
DE09



Granite
GR62


Order samples at acoufelt.com/colorways



Call 800.966.8557 with questions or visit acoufelt.com for more product information, downloads, and colorways.


Recommended Layouts

Layout 1




Lighting Coordination


2' x 2', 2' x 4' Grid light



Drop pendant light



Recessed light



Grid mounted light (track, pendant)

