Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 12423745973248 CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: Acoufelt FilaSorb felt and acoustic cut products are made from 60% recycled PET, come in over 30 colours and can be cut

into a series of baffles, interlocking clouds, shapes and full ceiling and wall panels or tiles to meet sound absorption needs.



Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm € 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No.

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

FILASORB POLYESTER FELT [POLYETHYLENE TEREPHTHALATE (PET) LT-P1 POLYETHYLENE TEREPHTHALATE (PET) LT-P1 PHOSPHORIC ACID, C3-9-ALKYL ESTERS NoGS TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7) BM-1 | CAN | END | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No explanation required

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario

Environmental Product Declaration: Environmental Product Declaration -

Global GreenTag

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-04-29 PUBLISHED DATE: 2024-05-07 EXPIRY DATE: 2027-04-29

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FILASORB POLYESTER FELT %: 100.0000 - 100.0000

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Textile

RESIDUALS AND IMPURITIES NOTES: No impurities detected in the materials for polyester material

OTHER MATERIAL NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARI	D SCREENING DATE:	2024-04-29 22:50:00
%: 60.0000 - 60.0000	GreenScreen: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE	Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
None found				No listings found on Ac	dditional Hazard Lists

POLYETHYLENE TEREPHTHALATE (PET)

SUBSTANCE NOTES: Recycled PET content is a minimum of 60% content

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-04-29 22:50:00		
%: 39.4000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	S LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

PHOSPHORIC ACID, C3-9-ALKYL ESTERS

ID: 68515-98-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-04-29 22:50:00		
	%: 0.3000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7)

ID: 946525-05-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SC	REENING DATE: 2024-04-29 22:50:01
%: 0.3000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Car	cinogens	Occupational Carcin	nogen
CAN	CA EPA - Prop 65		Carcinogen - specif	ic to chemical form or exposure route
CAN	IARC		Group 2B - Possibly from occupational s	v carcinogenic to humans - inhaled ources
CAN	MAK			BA - Evidence of carcinogenic effects establish MAK/BAT value
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrine	Disruptor
CAN	MAK		Carcinogen Group 4	4 - Non-genotoxic carcinogen with low Γ levels
CAN	IARC		Group 2b - Possibly	carcinogenic to humans
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspected of Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected of Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	,	Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: School classrooms, private

office and single-family residence parameters.

CERTIFICATE URL:

ISSUE DATE: 2024-04-22 00:00:00 EXPIRY DATE: 2025-04-21 00:00:00 CERTIFIER OR LAB: SCS Global

Services

CERTIFICATION AND COMPLIANCE NOTES: Certificate for TVOC's through SCS Global - Indoor Advantage Gold

ENVIRONMENTAL PRODUCT DECLARATION

Environmental Product Declaration - Global GreenTag

ISSUE DATE: 2024-04-26 00:00:00 CERTIFIER OR LAB: Global CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Interior finishes EXPIRY DATE: 2029-04-26 00:00:00 GreenTag

CERTIFICATE URL:

https://www.globalgreentag.us/products/acousticcutpanels/

CERTIFICATION AND COMPLIANCE NOTES: EPD facilitated by Global GreenTag certified under ISO 14025 and EN 15804 - Environmental Product

Declarations (EPDs)- (Type III environmental declarations).

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The information available at the time of completing this HPD was accurate at the time.

Products included in this HDP are:

Shapes

Screens

Wall & Ceiling Panels - FilaSorb Felt

Wall & Ceiling Tiles - FilaSorb Felt

Arc Baffle

Ripple Baffle

Step Baffle

Wing Baffle

Fan Baffle

Wall Shapes

Interlocking Tetra & Solis Clouds

MANUFACTURER INFORMATION

MANUFACTURER: Acoufelt
ADDRESS: Level 8, 26 Flinders St

Adelaide, SA 5000 COUNTRY: Australia WEBSITE: https://acoufelt.global/ CONTACT NAME: Karina Deboar

TITLE: Material & Sustainability Manager

PHONE: + 61 1800 646 462

EMAIL: karina.deboar@acoufelt.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

