acoufelt



Rail, Platform Ceiling Frames

WoodGrain Collection

Rail Ceiling Frames offer unmatched flexibility to craft unique, textured ceilings. With an open-tile design and the absence of a backer, Rail seamlessly integrates with essential ceiling components like lighting, sprinklers, and speakers.

The Rail frames system ensures hassle-free installation with its innovative click-in design, eliminating the need for additional hardware. Fully compatible with standard 15/16" T-grid drop ceilings, it provides a versatile and efficient solution for modern ceiling designs.

Specifications

	15/16" Flat	Standard 24" x 24"
Compatible T-grid	Туре	Layout
	24" W x 48" L x 6" H	
	24" W x 48" L x 4" H	
	24" W x 24" L x 6" H	
Standard Sizes	24" W x 24" L x 4" H	
Weight	0.49 lb./ft ² (±10%)	
Thickness	1/2", 12mm (±10%)	
Material	FilaSorb [™] polyester felt	
Surface	Ceiling	



Rail, Platform Ceiling Frames in Weathered Slate

Technical

NRC Rating	Pending product testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
<u>Warranty</u>	Product: 20 years* Colorfastness: 20 years*


* Conditions apply

Environmental

Recycled Content	Minimum 60%	
Energy	Generated using 40% solar energy	
Indoor Air Quality	VOC less than/equal to 0.5mg/m3	
Recyclable	100%*	
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold	

* PET is recyclable through participating partners.





'n

Colorways


WOODGRAIN



Order samples at acoufelt.com/colorways




How to Specify



2. Choose Tile Size

Ties are available in two sizes for use with 4" H and 6" H slats.



1. Choose Slat Height

1. Choose Slat Height

2. Choose Tile Size


3. Choose Colorway

3. Choose Colorway

Select one colorway for your tile. See colorway choices on page 3.



Layout 1



Lighting Coordination

