
acoufelt



Recess, Fillet Ceiling Frames

Premier Collection

Fillet ceiling frames feature a gently rounded edge for a smooth, refined look. Their lightweight design ensures effortless installation in any space. Available in a range of sizes and an extensive selection of Premier Collection colors, they provide exceptional design flexibility. Enhance any environment with added texture, superior sound management, and elegant visual appeal.

Specifications

Surface	Ceiling				
Material	FilaSorb™ polyester felt				
Thickness	1/2", 12mm (±10%)				
Weight	0.49 lb./ft² (±10%)				
Standard Sizes	Thickness 1" T	Height 4, 6, 8" H	Width x Length 24" W x 24" L 48" W x 48" L		
Compatible T-grid	Type 9/16" Flat 15/16" Flat	Layout Standard 24" x 24" Standard 48" x 48"			



Recess, Fillet Ceiling Frame in Stonewash

Technical

NRC Rating	Pending product testing			
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200			
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)			
Colorfastness	ISO 105-B02, 6-7			

Details

Lead Time	3 – 6 weeks Manufactured and assembled in the US			
Origin				
<u>Warranty</u>	Product: 20 years* Colorfastness: 20 years*			

^{*} Conditions apply

Environmental

Recycled Content	Minimum 60%			
Energy	Generated using 40% solar energy			
Indoor Air Quality	VOC less than/equal to 0.5mg/m3			
Recyclable	100%*			
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold			

 $[\]hbox{* \it PET is recyclable through participating partners.}$





Colorways

PREMIER




Order samples at acoufelt.com/colorways

Sizes

Standard Sizes	Thickness	Height	Width x Length	C	ompatible T-grid	Туре	Layout
	1" T	4, 6, 8" H	24" W x 24" L			9/16" Flat	Standard 24" x 24"
			48" W x 48" L			15/16" Flat	Standard 48" x 48"
Thickness	1/2" 12mm	(+10%)					

Plans




^{*}Clip spacing may differ. Product ships assembled.


Elevations





Perspectives





^{**}Safety cable comes standard on all Recess product lines. See installation guides for additional details.

How to Specify

1. Choose Sizes


2. Choose Colorways

Select desired height and grid size.

1. Choose Sizes

2. Choose Colorway


Select one colorway for your slats and one colorway for your backer panel, or one colorway for both. See page 3 for colorways.




Product ships assembled.

Lighting Coordination


24" x 24", 24" x 48" Grid light



Drop pendant light



Recessed light



Grid mounted light (track, pendant)

