




## Woven, Pincheck Ceiling Frames

Premier Collection

Clean and refined, Woven's Pincheck design features a delicate grid of tiny squares created by intersecting stripes, resulting in a subtle, sophisticated pattern. From a distance, the design appears nearly solid, offering a sleek and polished aesthetic. As one of the most acoustically supportive options in the Woven Ceiling Frames collection, Pincheck delivers exceptional sound absorption, making it an ideal choice for high-traffic environments where noise control is essential.

## Specifications

|                          |  |                    |
|--------------------------|--|--------------------|
| <b>Surface</b>           | Ceiling                                      |                    |
| <b>Material</b>          | FilaSorb™ polyester felt                     |                    |
| <b>Thickness</b>         | 1/2", 12mm (±10%)                            |                    |
| <b>Weight</b>            | 0.49 lb./ft <sup>2</sup> (±10%)              |                    |
| <b>Standard Sizes</b>    | 4" H x 24" W x 24" L<br>6" H x 24" W x 24" L |                    |
| <b>Compatible T-grid</b> | <b>Type</b>                                  | <b>Layout</b>      |
|                          | 15/16" Flat                                  | Standard 24" x 24" |
|                          | 9/16" Flat                                   | Standard 24" x 24" |



Woven, Pincheck Ceiling Frames in Sea Salt

## Technical

|                       |  |
|-----------------------|--|
| <b>NRC Rating</b>     | Pending product testing  |
| <b>Fire Test</b>      | ASTM E84, Class A<br>Flame spread index: 15<br>Smoke developed index: 200                      |
| <b>Water Sorption</b> | ASTM C1104-2019 (A Modified)<br>Water sorbed by weight: 0.20%<br>(based on a 12mm thick panel) |
| <b>Colorfastness</b>  | ISO 105-B02, 6-7   |

## Details

|                  |  |
|------------------|--|
| <b>Lead Time</b> | 3 – 6 weeks                                    |
| <b>Origin</b>    | Manufactured and assembled in the US           |
| <b>Warranty</b>  | Product: 20 years*<br>Colorfastness: 20 years* |

\* Conditions apply

## Environmental








|                           |   |
|---------------------------|---|
| <b>Recycled Content</b>   | Minimum 60%   |
| <b>Energy</b>             | Generated using 40% solar energy  |
| <b>Indoor Air Quality</b> | VOC less than/equal to 0.5mg/m <sup>3</sup>   |
| <b>Recyclable</b>         | 100%*   |
| <b>Certifications</b>     | Declare Certification - LBC Red List Free<br>(third-party verified)<br>SCS Global Indoor Advantage Gold |

\* PET is recyclable through participating partners.



# Colorways

## PREMIER

|  |   |   |   |   |  |   |   |
|--|---|---|---|---|--|---|---|
|    |    |    |    |    |    |    |    |
| White<br>WH12  | Almond<br>AL55  | Celery<br>CE65  | Sencha<br>SE58  | Metal<br>ME03   | Flamingo<br>FL61   | Quartz<br>QU67  | Turmeric<br>TU60  |
|    |    |    |    |    |    |    |    |
| Platinum<br>PL04   | Pearl<br>PE21   | Pistachio<br>PI25   | Thistle<br>TH28   | Stonewash<br>ST72   | Amethyst<br>AM69   | Valentine<br>VA70   | Wheat<br>WH68   |
|    |    |    |    |    |    |    |    |
| Grey<br>GR02   | Ivory<br>IV11   | Eucalyptus<br>EU71  | Peacock<br>PE20   | Periwinkle<br>PE23  | Lilac<br>LI13  | Peach<br>PE19   | Popcorn<br>PO26   |
|  |  |  |  |  |  |  |  |
| Slate<br>SL27  | Milkyway<br>MI74  | Wasabi<br>WA29  | Sea Salt<br>SE57  | Marine<br>MA15  | Berry<br>BE06  | Peppercorn<br>PE22  | Carrot<br>CA08  |
|  |  |  |  |  |  |  |  |
| Charcoal<br>CH01   | Umber<br>UM54   | Oregano<br>OR18   | Azure<br>AZ05   | Granite<br>GR62   | Iris<br>IR10   | Shiraz<br>SH63  | Currant<br>CU59   |
|  |  |  |  |  |  |   |   |
| Piano Black<br>PI24  | Walnut<br>WA56  | Kale<br>KA12  | Denim<br>DE09   | Midnight<br>MI16  | Flint<br>FL64  |   |   |

Order samples at [acoufelt.com/colorways](https://acoufelt.com/colorways)




Call 800.966.8557 with questions or visit [acoufelt.com](https://acoufelt.com) for more product information, downloads, and colorways.

# How to Specify

## 1. Choose Slat Height

## 2. Choose Colorways


Slats are available in two heights:



## 1. Choose Slat Height


## 2. Choose Colorways

See colorway choices on page 3.




# Lighting Coordination

24" x 24" Grid light



Drop pendant light



Recessed light

