
acoulet



Woven, Tattersall Ceiling Frames

WoodGrain Collection

Tattersall features a meticulously arranged grid of thin, evenly spaced stripes that intersect to form a series of refined squares, bringing a sense of order and elegance to any space. This beautifully structured design adds subtle visual interest while maintaining a clean and timeless aesthetic. As one of the most acoustically supportive options in the Woven Ceiling Frames collection, Tattersall excels in sound absorption, making it an ideal choice for high-traffic environments where noise control is essential.

Specifications

Surface	Ceiling	
Material	FilaSorb [™] polyester felt	
Thickness	1/2", 12mm (±10%)	
Weight	0.49 lb./ft ² (±10	%)
Standard Sizes	4" H x 24" W x 24" L 6" H x 24" W x 24" L	
Compatible T-grid	Type 15/16" Flat 9/16" Flat	Layout Standard 24" x 24" Standard 24" x 24"



Woven, Tattersall Ceiling Frames in Shadow Oak

 \cap

Technical

NRC Rating	Pending product testing
Fire Test	ASTM E84, Class A Flame spread index: 15 Smoke developed index: 200
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)
Colorfastness	ISO 105-B02, 6-7

Details

Lead Time	3 – 6 weeks
Origin	Manufactured and assembled in the US
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m3
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners.



Colorways

WOODGRAIN



Order samples at acoufelt.com/colorways




How to Specify

1. Choose Slat Height

2. Choose Colorways

Slats are available in two heights:




1. Choose Slat Height

 $\tilde{\Box}$


2. Choose Colorways

See colorway choices on page 3.




Lighting Coordination

24" x 24" Grid light



Drop pendant light



Recessed light

